



TRX ISSUES LIST



1. SPARE TIRE RETAINER INSTALLED CORRECTLY _____
2. START ENGINE AND LISTEN FOR SQUEEK/CHIRP _____
3. CHECK ALL WINDOW GUARDS/FLASHING FOR MISSING PIECES _____



4. Missing Dampener Bolt_____
5. Oil Leak_____




Welp, took the truck in due to malfunction in rear view mirror cluster. Turns out I need the entire windshield replaced due to shotty job done by fca. Now I'll be wires exposed until I get a replacement.




6. Rear View Mirror Function_____

I heard a rattle and found that the upper bolt that attached the left rear shock was cross threaded which kept the nut from tightening.

Attachments



7. CHECK UPPER SHOCK BOLTS_____



8. ENSURE ALL WIRING ATTACHED TO BRACKETS ON FRAME _____




9. CHECK GAS COVER TO ENSURE AFFIXED _____



10. GO THROUGH HIGH PRESSURE WASH TO CHECK FOR MOONROOF LEAKS _____

11. CHECK FOR THIRD BRAKE LIGHT/REAR WINDOW WATER LEAKS _____



12. CHECK STEERING WHEEL TO ENSURE MATERIAL AFFIXED CORRECTLY_____

UPDATE: The truck was towed up to the dealer I bought it from (flatbed to avoid miles). Finally a kind gesture from someone, as I didn't have to pay or ask for the flatbed, the service manager simply told me that was the plan. They got the truck in the air and based on just one day in the shop they found that two of the injectors were installed in the wrong cylinders 🤦🏻

13. CHECK TO MAKE SURE CORRECT INJECTORS INSTALLED IN CYLINDERS_____



14. CHECK OIL LINES TO MAKE SURE TIGHT _____
15. CHECK OIL LINES TO MAKE SURE NO MISSING FITTING _____




16. MAKE SURE ALL BOLTS INSTALLED AND TIGHT _____



17. CHECK TO ENSURE BOLTS TIGHT _____

It's not a huge issue....but I guess it's one more to rack up on the first day delivery issue list. My second day with the truck and I cranked up the stereo up pretty high for the first time when I heard Willie and Merle singing Poncho and Lefty....well, it was grossly obvious that the front drivers speaker in the dash was fubar. Really bad. I isolated it to that speaker by using the fade feature in the audio setting. I'm

18. CHECK TO ENSURE ALL SPEAKERS FUNCTIONING _____




19. CHECK TO ENSURE EXHAUST BOLTS INSTALLED AND TIGHT _____



20. CHECK ALL FENDER BOLTS INSTALLED _____



21. CHECK TO HOSES ALL TIGHTLY CONNECTED _____



22. INSPECT ALL AXLE/CV BOOTS_____


Checked the rear diff, fluid, transfer case, and front diff. Rear diff was fine, transfer case and front diff were really low on fluid.

23. CHECK ALL FLUID LEVELS

TRANSFER CASE_____

FRONT DIFF_____

TRANSMISSION_____




24. CHECK ALL SHOCK ABSORBER BOLTS _____



MORE VIDEOS

Over 30 DEFECTIVE 2021 Ram T...



Watch later


Share

Info

25. CHECK HOUSING _____



26. CHECK WIPER FLUID HOSES CONNECTED _____



27. CHECK ALL ENGINE OIL CONNECTIONS _____



28. CHECK EXHAUST TIPS INSTALLED STRAIGHT_____



29. CONFIRM ALL LEATHER TEXTURES MATCH _____




30. CHECK THAT DOOR LOCK KNOBS CONNECTED TO LOCKING MECHANISM _____



31. CONFIRM NO INTERIOR RIM IS BENT _____



32. CHECK BRAKE SYSTEM_____



33. CONFIRM ALL BOLTS INSTALLED ON SHOCKS _____



34. Vacuum Line Failure – Check Vacuum lines for proper install _____



35. Disconnected Control Arm _____



Phil Lambert

Mine has 3000 miles on it now, I had an issue with the ball joint cap coming off and spraying grease everywhere and the front axle boot was loose/torn at 400 miles. Dealer ordered parts and fixed it. It's been ok since.



2


36. Check Ball Joint Cap _____

37. Brake Wear Indicator Installed Backwards _____

The driver side bracket holding the front of the rear wheel well fender was laying there. And one bolt was left laying there also. We can't figure out why it was even still there but it was. Added three bolts and it's in place now. The first picture shows the passenger side bracket. Second shows the missing area on the drivers side. Third shows the driver side bracket installed

Otherwise all the issues that have been listed on this site were perfect.

Attachments



38. Check All Fender Brackets _____



39. CHECK ALL PAINT FOR BLEMISHES _____



REAR DOOR IN IMAGE RUBBING AGAINST FRONT DOOR.

40. MAKE SURE DOORS DON'T RUB _____